WordCamp ABQ 2013 DNS and WordPress Website Migration

Mark Costlow, Southwest Cyberport

Mark Costlow

Southwest Cyberport

Web Hosting since 1994



FireFox



Chrome



Opera



Safari



Who are you?

- Manage your own self-hosted WordPress site(s)?
- Manage sites for others?
- Have sites on 3 or more different web hosts?

DNS Overview

- Basic DNS Concepts
- Roles of the DNS players
- Caches and TTLs
- DNS Tools
- Suggested order of events

WP Migration Overview

- Should you use export / import?
- How to edit the database, if needed?
- .htaccess file
- What if you can't access the database?

What is DNS?

- DNS is a Distributed Directory
- Maps Names to IP Addresses:
 www.swcp.com 216.184.2.198
 www.google.com 74.125.225.211
- Distributed Organizations are responsible for their own data
- Global Consistency better than "hosts.txt"

DNS: The Players

- Registrar Handles registration and yearly renewal of the domain.
- Name Server DNS server that knows about some of DNS. Types: Resolvers, Authoritative servers, Root servers.
- Registry Manages root servers for a TLD
- ICANN governs registrars and root servers.

DNS Server Types

- Resolver the kind of server you query at your ISP. Knows how to find answers, and caches them.
- Authoritative the designated know-it-all for a specific domain.
- * Root Server knows about the top-level domains. E.g. where the .com name servers are.
- Secondary backup authoritative server

DNS Record Types


- The term "zone" is interchangeable with "domain". Ex zones: cnn.com, whitehouse.gov, swcp.com
- NS Name Server tells what name servers are authoritative for a zone.
- *♣ A* Address, www.swcp.com → 216.184.2.198
- MX Names the email servers for a zone
- CNAME Canonical Name like an alias

Snippet of a zone file


| whatever.com. | 172800 | IN | NS | ns1.someisp.net. |
|------------------------------|--------|----|-------|----------------------|
| whatever.com. | 172800 | IN | NS | ns2.someisp.net. |
| whatever.com. | 14400 | IN | A | 216.184.2.32 |
| www.whatever.com. | 14400 | IN | CNAME | whatever.com. |
| whatever.com. | 14400 | IN | MX | 10 mx1.whatever.com. |
| whatever.com. | 14400 | IN | MX | 20 mx2.whatever.com. |
| <pre>vpn.whatever.com.</pre> | 14400 | IN | A | 172.17.18.3 |

TIL

- TTL = Time To Live how long to cache
- Every DNS record has a TTL
- NS Record TTLs are large 48 hours cannot be changed
- You can lower the TTL of other records



Simple DNS Query



Caches and TTLs

- ISP's Resolver caches all those answers
- Can lower the TTLs of the zone records to minimize downtime
- NS Record TTLs are 48 hours cannot be changed

Best Order Of Events

- Configure new Name Servers w/old DNS records
- Lower TTL for the zone (10M is nice)
- Change NS records at registrar (wait 24-48 hrs)
- Initiate registrar transfer at will
- Change A/MX/CNAME records at will

If you can't do that...

- Some web hosts will turn off service if the NS records change.
- Lower TTL on old Name Servers
- Change A records in old Name Servers to point to new host.
- Don't Forget To Transfer The Domain Later!

Registrar Transfer Issues

- Transfer will take 2-10 days
- Can't transfer a new or newly-renewed domain
- Some registrars may lock domain after contact change (Network Solutions, Go Daddy)
 - Minimize chances of this by only changing
 Admin contact, not Registrant Info

Pre-Transfer Checklist

- Make sure admin contact email address is good
- Domain must be unlocked
- WHOIS Privacy should be turned off
- Get auth code, aka EPP Key, from current registrar
- Initiate transfer request with new registrar

DNS Tools

- Good (safe) WHOIS lookup tool: http://www.tucowsdomains.com/whois
- Zone checkers: http://mxtoolbox.com http://www.nabber.org/projects/dnscheck/
- dig is the best tool:

```
linux$ dig @kitsune.swcp.com costlow.org NS
...
;; ANSWER SECTION:
costlow.org. 7200 IN NS ns2.swcp.com.
costlow.org. 7200 IN NS kitsune.swcp.com.
```

Ninja Troubleshooting

- 2 kinds of records are duplicated in the root servers and your zone file: NS and A records for your name servers.
 - Ensure NS records identical in zone and roots
 - Ensure Host Glue records match your zone.
 - dig @a.gtld-servers.net costlow.org NS

WordPress Migration

- Why are you migrating?
 - New web host
 - Deploy a site after development, or make a staging copy
 - Change domain name

What's the big deal?

- Copy files, copy database, done! Right?
- Maybe, if WAMP/MAMP uses same hostname:
 - Put www.yoursite.com in /etc/hosts file
 - Import database with phpMyAdmin
 - Upload files to server
 - Edit wp-config.php to use server's database

WP Import/Export?

- Tools -> Export
 - Exports Posts, Pages, Users
 - Does NOT export custom data tables for themes and plugins
 - Sometimes works, but often incomplete

Name Changes


- Example domain name changes:
 - dev.mydomain.com www.mydomain.com
 - www.oldname.com
 www.thisisbetter.com
 - www.site.com/newtest www.site.com
- These names get inserted into the database

Example w/Name Change

- Have existing site, www.ideasandcoffee.com
- Want to create test site, ictest.swcp.com

Name Change Steps

- Have web host create new web site and database
- Copy files from old location, upload to new
- Download SQL dump of old database
- Import the SQL dump into the new database
- Edit wp-config.php
- Search-and-Replace in database
- Check .htaccess file



Export old Database

Import New Database

- No picture for this one, too boring
- Remember, save the .sql file for later
 - If things go badly in the search/replace step, just re-import your database
 - Add DROP TABLE from the export step was important

Editing wp-config.php

```
// ** MySQL settings - info from your web host ** //
/** The name of the database for WordPress */
define('DB_NAME', 'yourdbname');


/** MySQL database username */
define('DB_USER', 'yourdbusername');

/** MySQL database password */
define('DB_PASSWORD', 'SeKrItPasSwOrd');

/** MySQL hostname */
define('DB_HOST', 'mysql.yourhost.com');
```

Search/Replace in DB

- Get searchandreplacedb2.php from http:// interconnectit.com/products/search-and-replace-forwordpress-databases/
- Upload it to the new site with FTP, and invoke it:
- <u>http://ictest.swcp.com/searchandreplacedb2.php</u>
- Remove searchandreplacedb2.pbp when finished!



Search/Replace cont'd

Do we really have to do it?

by interconnect/it

Load DB connection values from WordPress?

Pre-populate the DB values form with the ones used in wp-config? It is possible to edit them later.

Submit

interconnect/it Safe Search and Replace on Database with Serialized Data v2.0.0

This developer/sysadmin tool helps solve the problem of doing a search and replace on a WordPress site when doing a migration to a domain name with a different length.

WARNING! Take a backup first, and carefully test the results of this code. If you don't, and you vape your data then you only have yourself to blame. Seriously. And if you're

Search/Replace cont'd

Yes, do it!

| Safe Search Replace |
|---------------------------|
| |
| y interconnect/ it |
| |
| Database details |
| |
| Server Name: |
| |
| mysql5.swcp.com |
| Database Name: |
| 1113_ictest |
| |
| Username: |
| 1113_ictest |
| De anno andr |
| Password: |
| •••••• |
| Charset: |
| utf8 |
| |
| Submit DB details |
| |

Gets db access info from wp-config.php

by interconnect/it

Which tables do you want to scan?

Tables:

wp_commentmeta

wp_comments

wp_frm_fields

wp_frm_forms

wp_frm_item_metas

wp_frm_items

wp links

wp_options

wp_postmeta

wp_posts

Multiple tables can be selected with (CTRL/CMD + dick).

✓ Leave GUID column unchanged?

If the values in the GUID column from the WordPress posts table change RSS readers and other tools will be under the impression that the posts are new and may show them in feeds again.

All columns titled "guid" will be skipped if this it ticked.

Search/Replace cont'd

Select all the tables, and the GUID option

by interconnect/it

What to replace?

Search for (case sensitive string):

//www.ideasandcoffee.com

Replace with:

//ictest.swcp.com

Submit Search string

Search/Replace cont'd

Get the URL references first

by interconnect/it

Completed

In the process of replacing "//www.ideasandcoffee.com" with
"//ictest.swcp.com" we scanned 15 tables with a total of 899 rows, 87 cells were
changed and 87 db update performed and it all took 0.238834 seconds.

interconnect/it Safe Search and Replace on Database with Serialized Data v2.0.0

This developer/sysadmin tool helps solve the problem of doing a search and replace on a WordPress site when doing a migration to a domain name with a different length.

WARNING! Take a backup first, and carefully test the results of this code. If you don't,

Search/Replace cont'd

Results of first substitution

by interconnect/it

What to replace?

Search for (case sensitive string):

public_html/ideasandcoffee.com

Replace with:

public_html/ictest.swcp.com

Submit Search string

interconnect/it Safe Search and Replace on Database with Serialized Data v2.0.0

This developer/sysadmin tool helps solve the problem of doing a search and replace on a WordPress site when doing a migration to a domain name with a different length.

Search/Replace cont'd

Update file pathname references

by interconnect/it

Completed

In the process of replacing "public_html/ideasandcoffee.com" with "public_html/ictest.swcp.com" we scanned 15 tables with a total of 899 rows, I cells were changed and I db update performed and it all took 0.166609 seconds.


interconnect/it Safe Search and Replace on Database with Serialized Data v2.0.0

This developer/sysadmin tool helps solve the problem of doing a search and replace on a WordPress site when doing a migration to a domain name with a different length.

WARNING! Take a backup first, and carefully test the results of this code. If you don't, and you vape your data then you only have yourself to blame. Seriously. And if you're English is bad and you don't fully understand the instructions then STOP. Right there. Yes. Before you do any damage.

Search/Replace cont'd

There was just one, and we got it!




Can't we just edit the database by hand?

| bigint(20) unsigned | ÷ | 35 | | |
|--|----------|--------------------|--|--|
| bigint(20) unsigned | ÷ | 1 | | |
| datetime | ‡ | 2013-08-29 18:27:1 | | |
| datetime | ‡ | 2013-08-29 18:27:1 | | |
| longtext | + | | | |
| <pre><h3>A place to work</h3> Looking for a quiet place to get some work done? Tired of no-one to bounce ideas off? Need a focused environment that doesn't distract you with dirty dishes or a place to meet a client somewhere that's more professional than your house or a coffee shop? <pre> Try Ideas and Coffee Coworking.</pre> </pre> <pre> Try Ideas and coffee Coworking.</pre> <pre> Try Ideas and coffee Coworking.</pre> <pre> Try Ideas and coffee Coworking.</pre> | | | | |
| text | ‡ | Home | | |

Example from the wp_posts table


- What if the name you are changing from does not exist anymore?
- Suppose we want to change from *ictest.swcp.com* to *icdev.swcp.com*, and the *ictest.swcp.com* name has been deleted from DNS.



What happened here?



CSS Happened



How it is supposed to look

Important Cleanup

Remove searchandreplacedb2.php

.htaccess

- ♣ If you get an *Internal Server Error*, probably an htaccess issue.
 - * "Options all" command may not be allowed.
- If moving from "/subdir" to "/" look for:

 RewriteRule . /subdir/index.php [L]
- Change it to:

 RewriteRule . /index.php [L]

No phpMyAdmin?

- How to get a database dump without phpMyAdmin access?
- mysqldump from command line:

 mysqldump -h dbhost -u dbuser -p dbname > dbname.sql
- Install "adminer" WordPress plugin.
- Access via Tools -> Adminer



Adminer for WordPress

Adminer (formerly phpMinAdmin) is a full-featured MySQL management tool written in PHP. Current used version of Plugin Adminer: 1.2.3



Start Adminer inside

Start Adminer in a new tab

| Your Database Data | |
|--------------------|-----------------|
| Тур | Value |
| Server | mysql5.swcp.com |
| Database | 1113_ictest |
| User | 1113_ictest |
| Password | |

Like

Here

Give

Write


Dona

Getr

More


adminer

Gets credentials from wp-config.php



adminer

Click "Dump"



adminer

Click "Export"

Thank You!

- Slides: http://www.swcp.com/wc2013-costlow/
- Mark Costlow
- Southwest Cyberport
- cheeks@swcp.com